Prepared by:
Craig Allen
ATG PATRIOT LLC
6243 ROUTE 5
WESTMINSTER, VT 05158
Phone: 802-722-4703

A proposal for **TOWN OF CASTLETON**

Prepared by

ATG PATRIOT LLC

Craig Allen

Jan 03, 2024

Freightliner 114SD Plus



Components shown may not reflect all spec'd options and are not to scale



Prepared by:
Craig Allen
ATG PATRIOT LLC
6243 ROUTE 5
WESTMINSTER, VT 05158
Phone: 802-722-4703

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	
Price Level				
PRL-28D	SD PRL-28D (EFF:MY25 ORDERS)			
Data Version				
DRL-024	SPECPRO21 DATA RELEASE VER 024			
Vehicle Configurat	ion			
001-177	114SD PLUS CONVENTIONAL CHASSIS	7,934	6,476	
004-225	2025 MODEL YEAR SPECIFIED			
002-003	SET FORWARD AXLE - TRUCK			
019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	
003-001	LH PRIMARY STEERING LOCATION			
General Service				
AA1-003	TRUCK/TRAILER CONFIGURATION			
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
99D-023	CARB EMISSIONS CERTIFICATION NOT FOR INITIAL REGISTRATION IN CALIFORNIA AND CARB OPT-IN STATES - CARB CLEAN IDLE (INCLUDES 6X4 INCH LABELS ON LEFT OF HOOD)			
AF2-998	NO STATE/PROVINCE INITIAL REGISTRATION SELECTED			
A85-011	CONSTRUCTION SERVICE			
A84-1GM	GOVERNMENT BUSINESS SEGMENT			
AA4-010	DIRT/SAND/ROCK COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-1AE	FREIGHTLINER LEVEL II WARRANTY			
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 20000.0 lbs			



	Data Code	Description	Weight Front	Weight Rear
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs		
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 66000.0 lbs		
	A70-99D	EXPECTED GROSS COMBINATION WEIGHT: 80000.0 lbs		
Truck Se	ervice			
	AA3-018	FRONT PLOW/END DUMP BODY		
	A88-99D	EXPECTED TRUCK BODY LENGTH: 0.0 ft		
	AF3-1G9	A-1 TRUCK AND EQUIPMENT		
Tractor	Service			
	AA2-005	FLATBED TRAILER		
	AH6-001	SINGLE (1) TRAILER		
Engine				
	101-3C2	DETROIT DD13 GEN 5 12.8L 525 HP @ 1625 RPM, 1900 GOV RPM, 1850 LB/FT @ 975 RPM		
Electron	nic Parameter	rs		
	79A-057	57 MPH ROAD SPEED LIMIT		
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
	79F-013	FLEET MANAGEMENT - DAILY ENGINE USAGE ENABLED		
	79G-006	5 MINUTES IDLE SHUTDOWN WITH CLUTCH AND SERVICE BRAKE OVERRIDE		
	79K-002	PTO MODE ENGINE RPM LIMIT - 700 RPM		
	79U-008	PTO GOVERNOR RAMP RATE - 300 RPM PER SECOND		
	79W-008	ONE DASH MOUNTED PTO SPEED WITH PTO SWITCH ENGAGEMENT		
	80G-002	PTO MINIMUM RPM - 700		
	80L-001	ENABLE AUTO ENGINE RPM ELEVATE FOR EXTENDED IDLE		
	80S-001	PTO 1, DASH SWITCH, STATIONARY OPERATION		
	80V-002	ENGINE MOUNT PTO, DASH SWITCH ENGAGES PTO MODE, DRIVING OPERATION		
Engine I	Equipment			
	99C-124	EPA 2010 GHG 2024/CARB 2024 ULTRALOW NOX CONFIGURATION		
	13E-001	STANDARD OIL PAN		
	105-001	ENGINE MOUNTED OIL CHECK AND FILL		



Data Cod	le Description	Weight Front	Weight Rear	
014-108	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10		
124-1D9	DR 12V 180 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES			
290-017	BATTERY BOX FRAME MOUNTED			
281-001	STANDARD BATTERY JUMPERS			
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-001	NON-POLISHED BATTERY BOX COVER			
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	2		
107-046	BW MODEL FE-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-002	JACOBS COMPRESSION BRAKE			
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25	
28F-015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH			
239-032	11 FOOT 00 INCH (132 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK			
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
23Z-001	POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER	15	5	
43X-003	LH FORWARD FACE OF DIESEL EXHAUST FLUID TANK 24 TO 28 INCHES BACK OF CAB			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			



	Data Code	Description	Weight Front	Weight Rear	
	242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)			
	273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			
	276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED			
	110-068	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR			
	118-001	FULL FLOW OIL FILTER			
N	266-107	1400 SQUARE INCH VOCATIONAL RADIATOR			
	103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
	171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
	172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			
	270-023	HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE			
	360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	25		
	138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4		
	140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			
	155-075	MITSUBISHI 12V MOD 3.175-DP60 STARTER WITH INTEGRATED MAGNETIC SWITCH			
Tran	smission				
	342-1NC	ALLISON 4700 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	440	180	
Tran	smission Equi	pment			
	343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			
	84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
	84C-039	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 2, HIGHEST GEAR 7, AVAILABLE FOR 4700/4800 PRODUCT FAMILIES ONLY			
	84D-039	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 2, HIGHEST GEAR 7, AVAILABLE FOR 4700 PRODUCT FAMILIES ONLY			



Data (Code [Description	Weight Fron		
84E-0	A	ST PERFORMANCE PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84F-0	S	S1 PERFORMANCE SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			
84G-0	07 1	700 RPM PRIMARY MODE SHIFT SPEED			
84H-0	06 1	600 RPM SECONDARY MODE SHIFT SPEED			
84K-0	F	ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH MODERATE DOWNSHIFT STRATEGY			
84N-2		FUEL SENSE 2.0 DISABLED - PERFORMANCE - FABLE BASED			
84U-0		DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			
85J-00	01 2	ND REVERSE, SELECTOR ONLY			
353-0		QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS			
362-8		CUSTOMER INSTALLED CHELSEA 870 SERIES PTO			
363-00		PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON			
341-0	T	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			
345-0		HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED			
97G-0	04 T	RANSMISSION PROGNOSTICS - ENABLED 2013			
370-0		VATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED			
346-00		RANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			
35T-0		SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			
Front Axle ar	nd Equipn	nent			
400-11		DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	190)	
402-03	Е	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10)	
403-00	02 N	ION-ASBESTOS FRONT BRAKE LINING			
419-00	01 C	CAST IRON OUTBOARD FRONT BRAKE DRUMS			
427-00	01 F	RONT BRAKE DUST SHIELDS	5	j	
409-00	06 F	RONT OIL SEALS			



Data Code	Description	Weight Front	Weight Rear	
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			
406-001	STANDARD KING PIN BUSHINGS			
536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	130		
539-003	POWER STEERING PUMP			
534-003	4 QUART POWER STEERING RESERVOIR			
533-001	OIL/AIR POWER STEERING COOLER			
40T-003	SYNTHETIC 40/50W FRONT AXLE LUBE			
Front Suspension				
620-006	20,000# FLAT LEAF FRONT SUSPENSION	310		
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION			
62G-015	AUXILIARY AIR SPRING ON RIGHT SIDE FOR PLOW APPLICATIONS	25		
62H-010	FRONT SUSPENSION WITH LEFT HAND OFFSET SHACKLE BRACKET	4		
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and Equip	ment			
420-103	RT-46-160 46,000# R-SERIES TANDEM REAR AXLE		420	
421-456	4.56 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-10	-10	
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30	
878-022	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD- REAR AXLE VALVE AND (1) REAR-REAR AXLE VALVE			
87A-017	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH, DISENGAGE INTERAXLE LOCK WITH IGNITION OFF			
87B-008	INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH			



Data Code	Description	Weight Front	Weight Rear	
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS			
425-002	REAR BRAKE DUST SHIELDS		10	
440-006	REAR OIL SEALS			
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS			
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
42T-001	STANDARD REAR AXLE BREATHER(S)			
Rear Suspension	1			
622-298	TUFTRAC GEN2 46,000# REAR SPRING SUSPENSION		490	
621-108	9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)			
431-003	AXLE CLAMPING GROUP			
624-025	55 INCH AXLE SPACING			
623-006	FORE/AFT AND TRANSVERSE CONTROL RODS			
439-002	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM)		40	
Pusher / Tag Equ	uipment			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			
Brake System				
490-100	WABCO 4S/4M ABS			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
904-001	FIBER BRAID PARKING BRAKE HOSE			
412-001	STANDARD BRAKE SYSTEM VALVES			
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
413-002	STD U.S. FRONT BRAKE VALVE			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			
479-003	AIR DRYER MOUNTED INBOARD ON LH RAIL			



Data Code	Description	Weight Front	Weight Rear	
460-058	STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION			
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			
Trailer Connections				
481-998	NO TRAILER AIR HOSE			
476-998	NO AIR HOSE HANGER			
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS			
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			
310-998	NO TRAILER ELECTRICAL CABLE			
Wheelbase & Frame				
545-537	5375MM (212 INCH) WHEELBASE			
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	160	50	
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT	165	385	
548-803	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT			
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	115	-20	
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 128.15 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 125.15 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 326.3 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 47.83 in			
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 73.75 in			
553-001	SQUARE END OF FRAME			
550-001	FRONT CLOSING CROSSMEMBER			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
572-001	STANDARD REARMOST CROSSMEMBER			



	Data Code	Description	Weight Front	Weight Rear
	565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		30
Chassi	s Equipment			
	556-1E5	14 INCH PAINTED STEEL BUMPER	20	
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
	585-998	NO MUDFLAP BRACKETS		
	590-998	NO REAR MUDFLAPS		
	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
	44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE		
Fifth W	heel			
	578-998	NO FIFTH WHEEL		
Fuel Ta	nks			
	204-154	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	10	
	218-006	25 INCH DIAMETER FUEL TANK(S)		
	215-006	POLISHING OF FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS		
	212-007	FUEL TANK(S) FORWARD		
	664-001	PLAIN STEP FINISH		
	205-002	CHROME FUEL TANK CAP(S)		
	122-1K4	DAVCO 487 FUEL/WATER SEPARATOR WITH ESOC AND 12 VOLT PREHEATER	15	
	216-020	EQUIFLO INBOARD FUEL SYSTEM		
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires				
	093-1YU	CONTINENTAL HAU 3 WT 315/80R22.5 20 PLY RADIAL FRONT TIRES	100	
	094-2A7	MICHELIN XDS2 11R22.5 16 PLY RADIAL REAR TIRES		192
Hubs				
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
Wheels	;			
	502-664	ALCOA ULTRA ONE 89U63X 22.5X9.00 10-HUB PILOT 3.12 INSET 10-HD ALUMINUM FRONT WHEELS	-44	



Data Code	Description	Weight Front	Weight Rear	
505-766	ALCOA ULA18X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-248	
496-011	FRONT WHEEL MOUNTING NUTS			
497-011	REAR WHEEL MOUNTING NUTS			
Cab Exterior				
829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
650-008	AIR CAB MOUNTING			
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			
667-001	FRONT FENDERS			
754-002	3-1/2 INCH FENDER EXTENSIONS	15		
678-001	LH AND RH GRAB HANDLES			
646-041	STATIONARY BLACK GRILLE			
65X-004	BLACK HOOD MOUNTED AIR INTAKE GRILLE			
644-006	FIBERGLASS HOOD WITH ACCESS HATCHES	10		
690-998	NO NOISE SHIELD-ENG COMPARTMENT			
727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK			
726-001	SINGLE ELECTRIC HORN			
728-001	SINGLE HORN SHIELD			
312-068	HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS			
302-047	LED AERODYNAMIC MARKER LIGHTS			
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER			
311-020	HEADLIGHTS ON WITH WIPERS, WITH DAYTIME RUNNING LIGHTS WITH ROCKER/TOGGLE MOMENTARY INTERRUPTER SWITCH			
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			
300-015	STANDARD FRONT TURN SIGNAL LAMPS			
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE			
797-001	DOOR MOUNTED MIRRORS			
796-001	102 INCH EQUIPMENT WIDTH			
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			
74B-1B4	RH AND LH 8 INCH HEATED STAINLESS STEEL FENDER MOUNTED CONVEX MIRRORS WITH TRIPOD BRACKETS	12		



	Data Code	Description	Weight Front	Weight Rear
*	712-002	CUSTOM NAMEPLATE(S), ""		
		TOWN OF CASTLETON		
	729-001	STANDARD SIDE/REAR REFLECTORS		
	677-053	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN SHIELDING		
	275-061	PARK BRAKE REMINDER WARNING SYSTEM		
	768-043	63X14 INCH TINTED REAR WINDOW		
	661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS		
	654-011	RH AND LH ELECTRIC POWERED WINDOWS		
	663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD		
	659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR		
Cab Inte	erior			
	055-019	RUGGED TRIM PACKAGE		
	707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"		
	70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)		
	706-013	MOLDED PLASTIC DOOR PANEL		
	708-013	MOLDED PLASTIC DOOR PANEL		
	772-006	BLACK MATS WITH SINGLE INSULATION		
	785-998	NO DASH MOUNTED ASH TRAYS AND LIGHTER		
	691-001	FORWARD ROOF MOUNTED CONSOLE		
	693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
	738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
	742-007	(2) CUP HOLDERS LH AND RH DASH		
	680-029	M2/SD DASH		
	720-003	5 LB. FIRE EXTINGUISHER	10	
	700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
	701-001	STANDARD HVAC DUCTING		
	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
	170-015	STANDARD HEATER PLUMBING		
	130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
	702-002	BINARY CONTROL, R-134A		
	739-034	PREMIUM INSULATION		
	285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		



Prepared by: Craig Allen ATG PATRIOT LLC 6243 ROUTE 5 WESTMINSTER, VT 05158 Phone: 802-722-4703

Data Code	Description	Weight Front	Weight Rear	
 280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324-1B3	STANDARD LED CAB LIGHTING			
787-998	NO SECURITY DEVICE			
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
78G-002	KEY QUANTITY OF 2			
655-005	LH AND RH ELECTRIC DOOR LOCKS			
722-028	TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10		
756-339	PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	70		
760-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION PASSENGER SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	25	10	
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	4		
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			
761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER			
763-104	HIGH VISIBILITY ORANGE SEAT BELTS WITH DRIVER INDICATOR LIGHT AND AUDIBLE ALARM			
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			
540-070	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS			
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			

Instruments & Controls

106-002	ELECTRONIC ACCELERATOR CONTROL
732-998	NO INSTRUMENT PANEL-DRIVER
734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS
870-002	BRIGHT ARGENT FINISH GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
838-001	(1) PNEUMATIC SINGLE BRAKE APPLICATION AIR GAUGE



	Data Code	Description	Weight Front	Weight Rear	
-	840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			
	198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			
	721-003	87 DECIBELS TO 112 DECIBELS AUTOMATIC SELF-ADJUSTING BACKUP ALARM		3	
	149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			
	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
	811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			
	81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			
	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
	844-001	2 INCH ELECTRIC FUEL GAUGE			
	48C-001	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH CAP			
	866-019	DIGITAL DUAL REAR AXLE TEMPERATURE IN DRIVER DISPLAY WITH SENSOR SHIELDS			
	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
	854-008	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER DISPLAY			
	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
	864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			
	867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			
	830-006	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY AND HOBBS PTO OPERATION HOUR METER	2		
	372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			
	736-998	NO OBSTACLE DETECTION SYSTEM			
	72J-998	NO DR ASSIST SYSTEM			
	49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			
	73B-998	NO LANE DEPARTURE WARNING SYSTEM			
	679-998	NO OVERHEAD INSTRUMENT PANEL			



D	ata Code	Description	Weight Front	Weight Rear
74	46-135	AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM, BLUETOOTH, IPOD INTERFACE, USB AND AUXILIARY INPUTS, J1939	10	
74	47-001	DASH MOUNTED RADIO		
7	50-002	(2) RADIO SPEAKERS IN CAB		
7	53-998	NO AM/FM RADIO ANTENNA		
74	48-006	POWER AND GROUND WIRING PROVISION OVERHEAD		
74	49-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
7!	52-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM		
78	8C-004	INTEROPERABLE SDAR ANTENNA, SHIP LOOSE		
74	4D-006	STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS		
8	10-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
8	17-001	STANDARD VEHICLE SPEED SENSOR		
8	12-001	ELECTRONIC 3000 RPM TACHOMETER		
8	13-1C8	DETROIT CONNECT PLATFORM HARDWARE		
81	D1-203	3 YEARS DETROIT CONNECT BASE PACKAGE (FEATURES VARY BY MODEL) DETROIT CONNECT PLATFORM		
6	TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL		
16	62-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
32	29-135	TWO EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO END OF FRAME, BLUNTCUT		
40	C1-005	HARDWIRE SWITCH #1,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER		
40	C2-005	HARDWIRE SWITCH #2,ON/OFF MOMENTARY, 20 AMPS IGNITION POWER		
26	64-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN		
48	82-001	BW TRACTOR PROTECTION VALVE		
88	83-001	TRAILER HAND CONTROL BRAKE VALVE		
84	42-006	DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY		
83	36-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
66	60-001	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY AND ARCTIC TYPE BLADES		



Prepared by: Craig Allen ATG PATRIOT LLC 6243 ROUTE 5 WESTMINSTER, VT 05158 Phone: 802-722-4703

Dat	ta Code	Description	Weight Front	Weight Rear	
304	1-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			
882	2-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			
299	9-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			
298	3-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY			
87T	-998	NO WRG/SW-OPTL #2,CHAS,AIR			
Design					
065	5-000	PAINT: ONE SOLID COLOR			
Color					
980)-5A0	CAB COLOR A: L0441EY BLUE ELITE EY			
986	6-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			
964	-020	STANDARD BLACK BUMPER PAINT			
963	3-003	STANDARD E COAT/UNDERCOATING			
Certificatio	n / Compli	ance			
996	5-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			
Secondary	Factory O	ptions			
999	9-014	DEALER HAS BEEN ADVISED OF AND ACCEPTED RESPONSIBILITY FOR MODIFICATIONS DUE TO POSSIBLE PTO/CHASSIS INTERFERENCE			
Sales Prog	rams				
PM	Y-3D2	SD QUOTE SALES PROGRAM			

Weight Summary				
	Weight Front	Weight Rear	Total Weight	
Factory Weight ⁺	9843 lbs	8078 lbs	17921 lbs	
Dealer Installed Options	0 lbs	0 lbs	0 lbs	

TOTAL VEHICLE SUMMARY



Prepared by:
Craig Allen
ATG PATRIOT LLC
6243 ROUTE 5
WESTMINSTER, VT 05158
Phone: 802-722-4703

Total Weight ⁺	9843 lbs	8078 lbs	17921 lbs

Extended Warranty

WAI-61V EW4: DD13HT CARB COMPLIANT VOC 7 YEARS/150,000

MILES/241,500 KM. EXTENDED ENGINE COVERAGE. FEX APPLIES

WBB-472 TC4: US HD STANDARD/MODERATE VOCATIONAL 7 YEARS/100,000

MILES/161,000 KM EXTENDED TRUCK COVERAGE

WAK-310 ALLISON 4700 RDS SERIES TRANSMISSION EXTENDED

WARRANTY, 7 YEARS/UNLIMITED MILES. FEX APPLIES

Dealer Installed Options

	Weight Front	Weight Rear
VIKING PACKAGE	0	0
Total Dealer Installed Options	0 lbs	0 lbs

⁽⁺⁾ Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



Prepared by:
Craig Allen
ATG PATRIOT LLC
6243 ROUTE 5
WESTMINSTER, VT 05158
Phone: 802-722-4703

QUOTATION

114SD PLUS CONVENTIONAL CHASSIS

SET FORWARD AXLE - TRUCK
DETROIT DD13 GEN 5 12.8L 525 HP @ 1625 RPM, 1900
GOV RPM, 1850 LB/FT @ 975 RPM
ALLISON 4700 RDS AUTOMATIC TRANSMISSION WITH
PTO PROVISION

RT-46-160 46,000# R-SERIES TANDEM REAR AXLE TUFTRAC GEN2 46,000# REAR SPRING SUSPENSION DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE

20,000# FLAT LEAF FRONT SUSPENSION

114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

 $5375 \mathrm{MM}$ (212 INCH) WHEELBASE

NO FIFTH WHEEL

11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI

1600MM (63 INCH) REAR FRAME OVERHANG

1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT

TEM TO EVALUATE AND INSTALL FRAME RAIL
REINFORCEMENT AS NEEDED FOR FRONT
FRAME MOUNTED EQUIPMENT

		PER UNIT		TOTAL	
VEHICLE PRICE TOTAL # OF	UNITS (1) \$	152,460	\$	152,460	
EXTENDED WARRANTY	\$	12,989	\$	12,989	
DEALER INSTALLED OPTIONS	\$	104,900	\$	104,900	
CUSTOMER PRICE BEFORE TAX	\$	270,349	\$	270,349	
TAXES AND FEES					
TAXES AND FEES	\$	0	\$	0	
OTHER CHARGES	\$	0	\$	0	
TRADE-IN					
TRADE-IN ALLOWANCE	\$	(0)	\$	(0)	
BALANCE DUE (LOCAL CU	IRRENCY) \$	270,349	\$	270,349	
COMMENTS:	, .	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	·	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Projected delivery on / / provided the order is receiv	ed before /	1 .			
,,,					
APPROVAL:					
Please indicate your acceptance of this quotation by signing below:					
Customer: X Da	ate://				

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

Application Version 11.9.412 Data Version PRL-28D.024 Copy of 2025 tandem 7 sp viking demo cas...



01/03/2024 2:18 PM

Page 18 of 19

